

SIXTY
5

Technical specifications

July 2020



Contents

1. Technical characteristics	2
2. Construction	3
3. Rigging	3
4. Deck Fittings	3
5. Mooring and anchoring	4
6. Propulsion and steering gear	4
7. Fuel system	4
8. Freshwater system	4
9. Grey water and black water systems	5
10. Bilge pump system	5
11. Electrical system	6
12. Lighting	7
13. Ventilation and extraction system	8
14. Deck layout	8
15. Equipment and finishes and interior design	11
15.4. a. Lateral galley: salon	14
15.4. b. Lateral galley: 4-cabin owner's version	16
15.4. c. Lateral galley: 5-cabin version	21
15.5. a. Panoramic galley: salon	27
15.5. b. Panoramic galley: 5-cabin owner's version	29
15.5. c. Panoramic galley: 6-cabin version	34

1. Technical characteristics

Length overall	20.55 m / 67'5"
Waterline length	19.3 m / 63'4"
Maximum beam	10 m / 32'1"
Air draft (mast height)	33.92 m / 111'3"
Draft	1.55 m / 5'1"
Light displacement (CE)	40 T / 88 200 lbs
Square-topped mainsail (option)	170 m ² / 1829 sq ft
Genoa (option)	102 m ² / 1098 sq ft
Staysail (option)	49 m ² / 527 sq ft
Code 0 (option)	150 m ² / 1614 sq ft
Spinnaker (option)	360 m ² / 3874 sq ft
Diesel capacity	2 x 650 L / 2 x 172 Us gal
Fresh water capacity	2 x 500 L / 2 x 132 Us gal
Black water tank	510 L / 135 US gal
Grey water tank (option)	510 L / 135 US gal
Engines	Standard: 2x VOLVO D3-150 hp Option: 2x VOLVO D4-175 hp
Architects	VPLP Design
Exterior design	Patrick le Quément
Interior design	Nauta Design
Design Category	A: 14 - B: 18 - C: 24 - D: 40

2. Construction

- Hull, deck, nacelle and coachroof in infused monolithic composite and balsa sandwich infused with anti-osmotic and polyester resins
- Hull bottoms and keels in monolithic infused laminate

3. Rigging

STANDING RIGGING

- White lacquered aluminum mast [RAL 1096] with 2 sets of spreaders and 2 diamond stays
- Spreader lights
- Decklight on the mast
- White lacquered aluminum boom [RAL 1096] with recessed spotlights (carbon as an option)
- Forward transverse beam in white lacquered aluminum [RAL 1096] with chainplate for genoa furler and two bow rollers
- 2 Sheathed wire capshrouds
- 2 Sheathed lower capshrouds
- 1 Main forestay for genoa
- 1 Staysail stay (option)
- Adjustable lazy-jacks with spacers

RUNNING RIGGING

- 1 Dyneema® double purchase mainsail halyard
- 1 Dyneema® topping lift
- 3 Dyneema® reefing lines
- Mainsail sheet led back to sail-trimming station

4. Deck Fittings

- 1 Electric winch 80.2 STEA 24V DB for main halyard / mainsheet (2 speed)
- 3 Manual winches 80.2 STA for various sail-handling maneuvers (electric option)
- [HARKEN FW500] Flat winder for mainsheet traveler trimming
- Electric genoa furler [PROFURL NDE2 C600]
- Electric staysail furler [PROFURL NDE2 550] (option)
- Electric Code 0 furler [FACNOR IDXE 7000] (option)

5. Mooring and anchoring

- Anchor chain path integrated into longitudinal beam
- Electric windlass 2000W - 24V [QUICK]. Horizontal gypsy (14mm Ø), vertical capstan. Corded remote control plus fixed remote control and chain counter at main helm station to starboard.
- Chain locker to starboard of windlass
- 10 Mooring cleats + 1 secondary anchoring cleat on longitudinal beam
- 2 fairleads

6. Propulsion and steering gear

- 2x VOLVO D3-150 hp common-rail diesel engines – Propeller shafts
- Folding propellers:
 - Standard: Flexofold 4-blade 25" x 16"
 - Option: Bruntons - Varifold 4-blade 24" x 18"
- Electric engine controls at starboard helm station on flybridge
- 2 spade rudders: foam sandwich and stainless-steel stock
- Epoxy rudder tubes
- Self-aligning upper and lower rudder bearings
- Hydraulic steering transmission (1 actuator per rudder)
- Hydraulic pump in engine compartment behind steering linkage
- Raw water strainer
- Engine compartment ventilation
- Engine upgrade option: 2x VOLVO D4-175 hp common-rail diesel engines
- Folding propellers:
 - Standard: Flexofold 4-blade 25" x 18"
 - Option: Bruntons - Varifold 4-blade 25" x 20"

7. Fuel system

- 2 x 650-liter (2 x 170 US gal) tanks (total capacity: 1,300 liters/340 US gal)
- Fuel tank gauges on touch screen (general distribution panel – port companionway)
- Prefilter and water separator with sensor and filter
- 1 Fuel shutoff valve per tank
- Electric controls for port/starboard diesel transfer on deck next to filler neck

8. Freshwater system

- 2 Freshwater tanks of 500 liters (2 x 132 US gal) (total capacity: 1,000 liters/264 US gal)
- Water tank gauges on touch screen (general distribution panel – port companionway)

- 2 Freshwater [JOHNSON] pressure pumps 24V 2x36l/m (2 x 9.5 US gal/min)
- 2 x 100-liter (2 x 26 US gal) water heaters - 230V immersion element & engine heat exchanger
- Fresh water filler necks with failsafe system on deck
- 1 Freshwater outlet point on starboard sugarscoop
- 1 Freshwater/seawater deck wash pump forward cockpit
- 1 Freshwater deck wash pump on starboard sugarscoop

9. Grey water and black water systems

9.1. BLACK WATER SYSTEM (STANDARD)

- Electric (24V) fresh water WC [TECMA Silence Plus]
- Underfloor black water tanks: 2 x 135 liters forward and 2 x 120 liters aft (2x35 US gal and 2 x 31 US gal) (total capacity: 500 liters/132 US gal)
- Water tank gauges on touch screen (general distribution panel – port companionway)
- Solenoid valve for emptying black water tanks. Centralized controls (general distribution panel – port companionway)

9.2. GREY WATER SYSTEM (OPTION)

- Shower/washbasin and galley sink drained to grey water tank and automatic pumps integrated into shower
- Underfloor grey water tanks: 2 x 135 liters and 2 x 120 liters (2x35 US gal and 2 x 31 US gal) (total capacity: 500 liters/132 US gal)
- Water tank gauges on touch screen (general distribution panel – port companionway)
- Remote tank emptying from general distribution panel (port companionway)
- Rainwater drains directly into the sea

10. Bilge pump system

- Self-bailing forward and aft cockpits in accordance with CE standards
- 2 manual bilge pumps (1 in each hull) operated from the abandon-ship station to starboard in the cockpit
- 2 manual bilge pumps (1 in each forepeak) operated from the forward lockers for bailing the forepeaks
- 1 electric bilge pump with automatic float switch and manual override + bilge sump level alarm in each hull
- 1 electric bilge pump with automatic float switch and manual override + bilge sump level alarm in each engine compartment
- Alarms and controls:

- Audible alarm at the chart table and on the flybridge
- Control panels in the salon (general distribution panel - port companionway) and at the main helm station on the flybridge

11. Electrical system

11.1. ELECTRIC PANELS

- Main AC panels in port companionway
- Main DC panels in starboard companionway
- Secondary AC & DC electrical panels installed in different areas depending on version

11.2. 230V AC, 50Hz SOURCES

- Shore power: 63 A
- Engine alternators: 2 x VOLVO 110 A 24V
- Inverter: VICTRON 2000 VA 24V/230V
- Inverter: (option, in lieu of standard) : VICTRON 2 x 5000 VA 24/230V
- Generator (option):
 - ONAN 19 kVA 230V 50Hz (starboard engine compartment)
 - ONAN 13,5 kVA 230V 50Hz (additional - port engine compartment)

11.3. 24V DC SOURCES

- Batteries:
 - 6 Service batteries 1050Ah / 24V - GEL
 - 2 Engine starter batteries 75A 12V
 - 1 Battery shut-off (house battery bank) in the forward port companionway
- Charger: 100A 230V [CATS POWER DESIGN]

11.4. DISTRIBUTION 230V AC

- BUS A
 - Sockets
 - Sockets in technical compartments (engine rooms)
 - Engine starting battery charger
 - Electrical appliances in the galley
 - Oven
 - Hob
 - Extractor hood
 - Dishwasher (option)
 - Microwave oven (option)
 - Coffeemaker (option)

- Washing machine (option)
- Dryer (option)
- Washer-dryer (option)
- BUS B
 - Service bank battery chargers
 - 100A (standard)
 - 2 x 100A additional (option)
- BUS C
 - Air heater (air-conditioning option)
- BUS D
 - Standard combined refrigerator in the galley
 - Hi-Fi and video (option)

11.5. 230 V SOCKETS*

- Salon (lateral galley), 6 sockets in total:
 - Port: 1 in the sofa base + 2 in the cabinet
 - Starboard: 2 in the sofa base
 - Chart table: 1
 - Salon (panoramic galley), 4 sockets in total:
 - Starboard: 2 in the sofa base + 1 in the cabinet
 - Chart table: 1
 - Cabins: 1 socket per bedside unit + 1 in bed base
 - Guest bathrooms: 1 socket
 - Owner's bathroom: 2 sockets
 - Single bunk forepeak (option): 1 socket
 - 2 Bunk beds forepeak (option): 2 sockets
- (*) Each 230V socket includes a USB socket (except in the furniture bases and galley)

12. Lighting

12.1. ENGINE COMPARTMENT

- 2 Touch-activated LED lights

12.2. INTERIOR

- Ceiling lights: LED spots [iGuzzini] and peripheral LED striplights
- LED bedside lights and desk light and chart table light [Mini Tolomeo Artemide]
- Indirect lighting in all areas: LED striplights

12.3. EXTERIOR

- Aft cockpit lighting: LED striplights
- Courtesy lighting:

- LED striplights beneath sugarscoop steps
- LED lights on bench seats (cockpit, main deck and flybridge)
- Push-pull lights on aft beam and in forward cockpit

13. Ventilation and extraction system

13.1. INTERIOR VENTILATION

- Each cabin and each bathroom have at least one source of natural ventilation

13.2. ENGINE COMPARTMENT VENTILATION

- 2 x 24V DC electric fans
- Control of the engine compartment ventilation system connected to each engine

14. Deck layout

14.1. DECK

- Aft cockpit sole, sugarscoops and forward cockpit in teak
- Deck hatches, bay window and companionways:
 - 11 Lewmar T44 flush (12 hatches on the 6-cabines/6-bathroom version)
 - 2 Lewmar T60 flush in forepeaks
 - 2 Aft companionways with electric lock (1 on the 6-cabines/6-bathroom version)
 - Sliding bay window (open dimensions 2.3 x 2.1 m/7'7" x 6'11")
- Safety:
 - Composite bulwark 120mm (4¾")
 - Stanchions H 780 mm (30¾")
 - 3 Rows of guardwires
 - Retractable guardwires at sugarscoops
 - Forward pulpits with wood seats
 - Gangway door

14.2. AFT PLATFORM AND SUGARSCOOPS

- Stainless steel foldable and removable bathing ladder with handles ladder to port
- Hot/cold shower head to port
- Optional second ladder and second shower to starboard

14.3. AFT COCKPIT

- Cockpit flush-decked with the salon
- Starboard:
 - L-shaped bench seat with 2 storage lockers and technical access (abandon-ship station)

- Teak table 2.2 x 1.1m (7'3" x 3'7")
- 3 Exterior TRIBU seats [Model: REGISTA – Color: White/Linen]
- Sunbathing area
- Port: BAR unit
 - Sink beneath horizontal cover
 - Removable wood serving table
 - Cup/glass holder
 - Plexiglass open storage
 - 80-Liter (2.8 cu ft) refrigerator 24V
 - Storage behind doors with shelves (option: ice-maker)
 - Trash can access from above
- Aft:
 - Wide seating on aft beam with liferaft storage space
 - Lateral fittings to port and starboard:
 - Cup/glass holder
 - Push pull light
 - Storage beneath horizontal cover to port (option: Grill)
 - Ice-Maker beneath horizontal cover to starboard
- Under-floor lockers in central nacelle:
 - 2 Storage lockers aft
 - 1 Large central locker

14.4. FORWARD COCKPIT

- Access from the salon via the glazed door
- 2 Seating areas with 1 storage locker beneath port seat and technical equipment access to starboard
- Open storage and cup/glass holder to starboard
- Sunbathing areas to port and starboard

14.5. FOREDECK

- 4 Storage lockers, of which one is the chain locker
- Trampoline with gray nylon netting
- 2 Forward pulpits with wood seat

14.6. FOREPEAKS

- Forepeaks with access through key-lockable T60 deck hatches
- Sail locker fittings:
 - Stainless-steel ladder
 - Floor
 - Painted white

OPTIONS

- Forepeak fitted out with single bunk
- Forepeak fitted out with 2 bunk beds

14.7. FLYBRIDGE

- Access from the cockpit via mirror-polished stainless-steel stairs with teak treads
- Electric closing system
- 2 Helm stations (main one to starboard) with:
 - Helm seat with storage below and armrest
 - Cushions: seatbase and backrest [Fabric: Sunbrella® Natte Linen Chalk]
 - Engine throttle on starboard armrest
 - Stainless-steel steering wheel with gray anthracite cover Ø1100mm (43")
 - Hydraulic steering system
 - Composite helm consoles (black gelcoat) port and starboard:
 - Starboard helm console equipped with:
 - ✓ Compass
 - ✓ Windlass controls and chain counter
 - ✓ Control panel lighting
 - ✓ Engine panels
 - ✓ Optional nav. instruments
 - Port helm console equipped with:
 - ✓ Optional nav. instruments
- Port: BAR unit
 - Sink beneath horizontal cover
 - Corian® [Warm Grey] counter top
 - Cup/glass holders in black plexiglass beneath horizontal cover
 - Open plexiglass storage, (option: lifting electric bar)
 - 80-Liter (2.8 cu ft) refrigerator 24V
 - Storage behind doors with shelves (option: ice-maker)
 - Trash access from above

15. Equipment and finishes and interior design

15.1. VERSION:

- Lateral galley:
 - Owner's 4-cabin/4-bathroom version
 - 5-cabin/5-bathroom version
- Panoramic galley:
 - Owner's 5-cabin/5-bathroom version
 - 6-cabin/6-bathroom version

15.2. INTERIOR FINISHES:

Standard:

- Furniture, recesses and bulkheads: Alpi Walnut (UV finish)
- Floors: Asburgo (floors)
- Galley countertops: Corian® - Warm Grey
- Countertops and flooring in bathrooms: Corian® - Clam Shell
- Leatherette inserts: Bison
- Coachroof headlining: Meteor & Macadamia
- Hull linings: Silver
- Bunk surround fabric: Sterling
- Leather chairs [salon: x3, cabins: x1 per desk]: FRAG - Model: Lily (Color: Ivory)

Options:

- WALNUT

Salon and cabins:

- Furniture and bulkheads: Alpi Walnut (hollow pore finish)
- Recesses: Fenix Gray
- Floors: Asburgo
- Leatherette inserts: Bison
- Coachroof headlining: Meteor & Macadamia
- Hull linings: Silver
- Bunk surround fabric: Sterling
- Leather chairs [salon: x3, cabins: x1 per desk]: FRAG - Model: Lily (Color: Ivory)

Galley:

- Furniture and bulkheads: Alpi Walnut (hollow pore finish)
- High-level units: white lacquer
- Floors: Asburgo
- Countertops: Corian® - Warm Grey

Bathrooms and WC:

- Furniture and bulkheads: Alpi Walnut (hollow pore finish)
- Recesses: Fenix Gray
- Floors: Asburgo and Corian® - Clam Shell
- Bathroom countertops: Corian® - Clam Shell

▪ GRAY OAK**Salon and cabins:**

- Furniture and bulkheads: Alpi gray oak (brushed/hollow pores finish)
- Recesses: Alpi smoked oak (brushed/hollow pores finish)
- Floors: Alpi Kord Wengue
- Leatherette inserts: Bison
- Coachroof headlining: Meteor & Macadamia
- Hull linings: Sunbrella® Canvas Silver Grey - SJA 3741
- Bunk surround fabric: Truffle
- Leather chairs [salon: x3, cabins: x1 per desk]: FRAG - Model: Lily (Color: Taupe)

Galley:

- Furniture and bulkheads: Alpi gray oak (hollow pores finish)
- High-level units: white lacquer
- Floors: Alpi Kord Wengue
- Countertops: Corian® - Graylite

Bathrooms and WC:

- Furniture and bulkheads: Alpi gray oak (brushed/hollow pores finish)
- Recesses: Alpi smoked oak (brushed/hollow pores finish)
- Floors: Alpi Kord Wengue and Corian® - Clam Shell
- Bathroom countertops: Corian® - Clam Shell

▪ LIGHT OAK**Salon and cabins:**

- Furniture and bulkheads: Alpi light oak (brushed/hollow pores finish)
- Recesses: Alpi smoked oak (brushed/hollow pores finish)
- Floors: Alpi Kord Wengue
- Leatherette inserts: Bison
- Coachroof headlining: Meteor & Macadamia
- Hull linings: Sunbrella® Canvas Silver Grey - SJA 3741
- Bunk surround fabric: Truffle
- Leather chairs [salon: x3, cabins: x1 per desk]: FRAG - Model: Lily (Color: Taupe)

Galley:

- Furniture and bulkheads: Alpi light oak (hollow pores finish)
- High-level units: white lacquer


- Floors: Alpi Kord Wengue
- Countertops: Corian® - Graylite

Bathrooms and WC:

- Furniture and bulkheads: Alpi light oak (brushed/hollow pores finish)
- Recesses: Alpi smoked oak (brushed/hollow pores finish)
- Floors: Alpi Kord Wengue and Corian® - Clam Shell
- Bathroom countertops: Corian® - Clam Shell

15.3. UPHOLSTERY, BLINDS AND MATTRESSES:

- Interior upholstery: Smart Shark
- Mattresses made of high resistance foam (density 35kg/m³ - 2.2 PCF)
- Blackout roller blinds in cabins
- Removable blackout curtains for aft companionways (galley and owner's cabin)
- Roller blinds in salon
- Blackouts and flyscreens for deck hatches

15.4. a. Lateral galley: salon

- Access from the aft cockpit through a wide glazed sliding door (open dimensions 2.3 x 2.1 m/7'7" x 6'11")
- Access to the forward cockpit by a (PMMA) glazed door
- 360° PMMA glazing around the coachroof
- 2 aft PMMA glazing

PORT:

- U-shaped sofa with 2 storage lockers
- 1 wood coffee table (1.22 x 0.77 m/4' x 30")
- 1 storage unit (option: refrigerator-bar)

STARBOARD

- L-shaped sofa with 1 locker beneath seat
- 1 wood table (1.5 x 0.9 m/4'11" x 2'11"m)
- 3 leather chairs

STARBOARD FORWARD AREA

- Furniture unit with plexiglass storage for glasses and bottles
- Furniture unit with shelf and 1 door (option: wine cellar)

CHART TABLE

- Chart table equipped with optional electronics
- Dedicated chart table leather chair
- Storage in the chart table unit
- Option: ice-maker

15.4. b. Lateral galley: 4-cabin owner's version**PORT HULL****Galley:**

- Direct access from the aft cockpit
- Manually-operated companionway closure with electric lock
- 2 x T44 opening deck hatches
- 1 PMMA fixed hull window with integrated opening T3 hatch, 1 aft window with integrated opening T3 hatch

- Outboard side:
 - Corian® countertop with double stainless-steel sink and hot/cold mixer faucet
 - 1 Low-level unit, 1 door, with shelves (option: dishwasher)
 - 1 Under-sink unit with 2 drawers
 - 1 Sliding trash [70L/18 Us gal] receptacle with 2 containers
 - 1 Low-level unit with 1 drawer for cutlery storage and sliding bottle storage
 - 4-burner induction hob 230V [MIELE] and pan clamps
 - 1 Electric oven [MIELE]. Storage drawer beneath oven
 - 1 Extractor hood [ELECTROLUX]
 - 5 High-level units with horizontal doors

- Combined refrigerator/freezer with integrated [SAMSUNG - 407L/210L (14.4/7.4 cu ft)]

- Aft bulkhead:
 - 1 Low-level unit with 2 shelves

- Inboard side:
 - 1 Low-level unit with 4 drawers for crockery storage
 - 1 Low-level unit with 2 shelves (option: washer/dryer)
 - 1 High-level unit with 2 drawers, 2 horizontal doors and 2 vertical doors (option: microwave and coffee machine)
 - Dining area with:
 - Dining table with stainless-steel leg
 - 2 Bench seats facing each other with drawer beneath forward seat
 - 2 High-level storage units with horizontal doors
 - Under-floor storage at table
 - Options : underfloor refrigerator and/or freezer

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed and 2 storage cupboards with door
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- High-level storage with 1 mirrored door and recesses
- Low-level storage, 2 doors
- 2-door storage unit above WC
- Separate shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

STARBOARD HULL

Aft cabin (owner's):

- 1 Double bed (2.00 x 1.70 m/6'7" x 5'7") with side access
- 2 Storage drawers beneath the bed and storage cupboards with door
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Desk with :
 - Bookshelf above, 1 door in leather and 1 single-door unit
 - Dedicated leather chair
- Outboard side:
 - 1 low-level unit with 4 doors and shelves (option: TV)
 - 1 bench seat
 - 1 full-height bookcase above the bench seat
- Inboard side:
 - 2 high-level hanging lockers with sliding doors
 - 2 low-level units each with 1 drawer and 2 doors
- 2 Opening deck hatches, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Direct access from salon or cockpit with manually-operated companionway closure with electric lock

Aft bathroom (owner's):

- 1 Fixed hull window (PMMA), aft
- Corian® vanity top with integrated washbasin
- Hot/cold mixer faucet
- High-level unit with 2 sliding mirrored doors and shelves
- Low-level storage with 2 drawers
- Separate shower with Corian® floor
- Shower head in ceiling + shower head on bracket
- Separate WC with door:
 - 1 Low-level unit with horizontal doors

- 1 Wall mirror
- Electric fresh water WC [TECMA]
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 bedside tables, with, on each side:
 - Coin tray and glass holder
- Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 2 Opening deck hatches, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Large high-level hanging locker with 1 drawer below and 2-door low-level unit
- 1 Wall mirror on aft bulkhead
- Sliding access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- Hot/cold mixer faucet
- High-level unit with 1 mirrored door and recesses
- Low-level 2-door unit
- High-level unit, 2 doors on the inboard side
- Separate shower with Corian® floor
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

15.4. c. Lateral galley: 5-cabin version**PORT HULL****Galley:**

- Direct access from the aft cockpit
- Manually-operated companionway closure with electric lock
- 2 x T44 opening deck hatches
- 1 PMMA fixed hull window with integrated opening T3 hatch, 1 aft window with integrated opening T3 hatch

- Outboard side:
 - Corian® countertop with double stainless-steel sink and hot/cold mixer faucet
 - 1 Low-level unit, 1 door, with shelves (option: dishwasher)
 - 1 Under-sink unit with 2 drawers
 - 1 Sliding trash [70L/18 Us gal] receptacle with 2 containers
 - 1 Low-level unit with 1 drawer for cutlery storage and sliding bottle storage
 - 4-burner induction hob 230V [MIELE] and pan clamps
 - 1 Electric oven [MIELE]. Storage drawer beneath oven
 - 1 Extractor hood [ELECTROLUX]
 - 5 High-level units with horizontal doors

- Combined refrigerator/freezer with integrated [SAMSUNG - 407L/210L (14.4/7.4 cu ft)]

- Aft bulkhead:
 - 1 Low-level unit with 2 shelves

- Inboard side:
 - 1 Low-level unit with 4 drawers for crockery storage
 - 1 Low-level unit with 2 shelves (option: washer/dryer)
 - 1 High-level unit with 2 drawers, 2 horizontal doors and 2 vertical doors (option: microwave and coffee machine)
 - Dining area with:
 - Dining table with stainless-steel leg
 - 2 Bench seats facing each other with drawer beneath one seat
 - 2 High-level storage units with horizontal doors
 - Under-floor storage at table
 - Options: underfloor refrigerator et/or freezer

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed and 2 storage cupboards with door
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- High-level storage with 1 mirrored door and recesses
- Low-level storage, 2 doors
- 2-door storage unit above WC
- Separate shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

STARBOARD HULL

Aft cabin:

- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- 2 Single beds (2.05 x 0.85 m/6'9" x 2'9") transformable into double (2.05 x 1.76 m/6'9" x 5'9")
- 1 Shared bedside table (*) with, on each side :
 - Coin tray and glass holder
 - Drawer
- 2 Storage drawers beneath the inboard side bed, with side access
- 4 Storage drawers beneath the outboard side bed, with side access

Hanging locker on inboard side (option tv) with:

- 1 drawer and two doors below
- 2 doors above with hanging locker on one side and shelves on the other
- 3 Small storage compartments to outboard side
- 1 Small storage compartment to inboard side
- 1 Wall mirror on the forward bulkhead
- Access door direct to bathroom

(*) accessible from outboard side in double bed version

Aft bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed and 2 storage cupboards with door
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)

- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- 1 Wall mirror on aft bulkhead
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- High-level storage with 1 mirrored door and recesses
- Low-level storage, 2 doors
- 2-door storage unit above WC
- Separate shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

15.5. a. Panoramic galley: salon

- Direct access from the aft cockpit through a wide glazed sliding door (open dimensions 2.3 x 2.1 m/7'7" x 6'11")
- Access to the forward cockpit by a (PMMA) glazed door
- 360° PMMA glazing around the coachroof
- 2 aft PMMA glazing

TO PORT

- Galley (outboard side):
 - Corian® countertop with double stainless-steel sink and hot/cold mixer faucet
 - 4-burner induction hob 230V [ELICA] with pan-clamps and integrated extractor hood [ELECTROLUX]
 - 1 Low-level unit with 2 drawers, 2 doors and 2 horizontal doors (option: dishwasher)
 - 1 Sliding trash [70L/18 Us gal] receptacle with 2 containers
 - High level sliding storage with 1 shelf (option: microwave)
 - Combined refrigerator/freezer (WHIRLPOOL- Volume 299L/101L – 10.6/3.6 cu ft)
- Central island:
 - 1 Low-level unit with 5 drawers and 1 door (option: washing machine)
 - 1 Integrated electric oven [MIELE]

- Bar-type sliding high-level unit with access to storage tray

TO STARBOARD

- L-shaped sofa with 1 storage locker beneath the seat base
- 3 leather chairs
- 1 wood table (2,00 x 1,02 m/6'7" x 3'4")

FORWARD AREA TO STARBOARD

- Furniture unit with plexiglass storage for glasses and bottles
- Furniture unit with shelf and 1 door (option: wine cellar)

CHART TABLE

- Chart table equipped with optional electronics
- Dedicated chart table leather chair
- Storage in the chart table unit
- Option: ice-maker

15.5. b. Panoramic galley: 5-cabin owner's version**PORT HULL****Aft cabin:**

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 1 Storage drawer beneath the bed
- 2 Bedside tables with:
 - 1 drawer
 - Horizontal door with sockets
- Outboard side:
 - 1 hanging locker
- L-shaped locker unit (inboard side)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- 1 Fixed window (PMMA), aft with 1 integrated opening hatch, T3
- Optional TV on forward bulkhead
- Access direct from the cockpit (manually-operated companionway closure with electric lock)
- Access door direct to bathroom

Aft bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed and storage cupboards with door
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- High-level storage with 1 mirrored door and recesses
- Low-level storage, 2 doors
- 2-door storage unit above the WC
- Separate shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

STARBOARD HULL**Aft cabin (owner's):**

- 1 Double bed (2 x 1.70 m / 6'7" x 5'7") with side access
- 2 Storage drawers beneath the bed and storage cupboards with drawers
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Desk with :
 - Bookshelf above, 1 door in leather and 1 single-door unit

- Dedicated leather chair
- Outboard side:
 - 1 low-level unit with 4 doors and shelves (option: TV)
 - 1 bench seat
 - 1 full-height bookcase above the bench seat
- Inboard side:
 - 2 high-level hanging lockers with sliding doors
 - 2 low-level units each with 1 drawer and 2 doors
- 2 Opening deck hatches, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access direct from the cockpit (manually-operated companionway closure with electric lock)

Aft bathroom (owner's):

- 1 Fixed hull window (PMMA), aft
- Corian® vanity top with integrated washbasin
- Hot/cold mixer faucet
- High-level unit with 2 sliding mirrored doors and shelves
- Low-level storage with 2 drawers
- Separate shower with Corian® floor
- Shower head in ceiling + shower head on bracket
- Separate WC with door:
 - 1 low-level unit with horizontal doors
 - 1 wall mirror
 - Electric fresh water WC [TECMA]
 - 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets

- 2 storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)
- 2 Opening deck hatches, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Large high-level hanging locker with 1 drawer below and low-level, 2 door unit
- 1 Wall mirror on aft bulkhead
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit, 2 doors
- High-level, 2 door storage, inboard side
- Separate shower with Corian® floor
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

15.5. c. Panoramic galley: 6-cabin version**PORT HULL****Aft cabin:**

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 1 Storage drawer beneath the bed
- 2 Bedside tables with:
 - 1 drawer
 - Horizontal door with sockets
- Outboard side:
 - 1 hanging locker
- L-shaped locker unit (inboard side)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- 1 Fixed window (PMMA), aft with 1 integrated opening hatch, T3
- Optional TV on forward bulkhead
- Access direct from the cockpit (manually-operated companionway closure with electric lock)
- Access door direct to bathroom

Aft bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit, 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit, 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - High-level hanging locker
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- High-level storage with 1 mirrored door and recesses
- Low-level storage, 2 doors
- 2-door storage unit above the WC
- Separate shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Separate electric fresh-water WC [TECMA]

STARBOARD HULL

Aft cabin:

- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- 2 Single beds (2.05 x 0.85 m/6'9" x 2'9") transformable into double (2.05 x 1.76 m/6'9" x 5'9")
- 1 Shared bedside table (*) with, on each side :
 - Coin tray and glass holder
 - Drawer
- 2 Storage drawers beneath the inboard side bed, with side access
- 4 Storage drawers beneath the outboard side bed, with side access

Hanging locker on inboard side (option tv) with:

- 1 drawer and two doors below
- 2 doors above with hanging locker on one side and shelves on the other
- 3 Small storage compartments to outboard side
- 1 Small storage compartment to inboard side
- 1 Wall mirror on the forward bulkhead
- Access door direct to bathroom

(*) accessible from outboard side in double bed version

Aft bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Central cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 1 Hanging locker
- 2 Storage drawers beneath the bed
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 1 Opening deck hatch, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3
- Access door direct to bathroom

Central bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit, 1 door
- Integral shower with Corian® floor
- Shower head + bracket + rail
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]

Forward cabin:

- 1 Double bed (2.05 x 1.60 m/6'9" x 5'3") with side access
- 2 Bedside tables, with, on each side:
 - Coin tray and glass holder
 - Horizontal door with sockets
- 2 Storage drawers beneath the bed
- Outboard side:
 - Low-level unit with doors and shelves (option: TV)
- 2 Opening deck hatches, T44
- 1 Fixed hull window (PMMA) with 1 integrated opening hatch, T3

- Large high-level hanging locker with 1 drawer below and low-level unit with 2 doors
- 1 Wall mirror on aft bulkhead
- Access door direct to bathroom

Forward bathroom:

- Corian® vanity top with integrated washbasin
- Hot and cold mixer faucet
- High-level storage with 1 mirrored door and recesses
- Low-level unit, 2 doors
- High-level unit, 2 doors, on inboard side
- Separate shower with Corian® floor
- 1 Opening deck hatch, T44
- Electric fresh-water WC [TECMA]



162, quai de Brazza
CS 81217
33072 Bordeaux Cedex - France
Tel. +33 (0) 557 80 92 80
E-mail: info@cata-lagoon.com
www.cata-lagoon.com